

Key Health Indicators: Province 1

Number of health facilities	Items	N	P 1	Health facilities reporting status (%)	Items	N	P 1
	Public hospitals	125	18		Public facilities	95	95
PHCCs	198	40	Public hospitals	96	99		
HPs	3808	648	PHCCs	98	99		
Non-public facilities	1822	133	HPs	98	98		
N=National, P=province				Non-public facilities	49	40	

Theme	Indicators	National	Province 1	Source
Immunization status (%)	BCG coverage	92	90	HMIS 2017/18
	DPT-HepB-Hib3 coverage	82	82	
	MR2 coverage (12-23 months)	66	69	
	Fully Immunized children*	70	80	
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	4.6	
	Pregnant women who received TD2 and TD2+	73	68	
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	82	
	Underweight children among new GM visits (0-11m)	3.6	1.9	
	Children aged 12-23 months registered for growth monitoring	56	50	
	Underweight children among new GM visits (12-23m)	5.7	3.5	
	Pregnant women who received 180 tablets of Iron	45	37	
	Postpartum mothers who received vitamin A supplements	66	60	
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	69	
	% of children U5 years with Pneumonia treated with antibiotics	165	152	
	% of children U5 years with Pneumonia treated with antibiotics (Amoxicillin)	102	92	
	Incidence of diarrhea per 1,000 under five years children	385	364	
	% of children under 5 with diarrhea treated with ORS and zinc	95	90	
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	105	
	Pregnant women who attended four ANC visits as per protocol*	50	47	
	Institutional deliveries *	54	53	
	Deliveries conducted by skilled birth attendant*	52	52	
FAMILY PLANNING	Mothers who had three PNC check-ups as per protocol*	16	12	
	CPR-unadjusted*	40.6	43	
FCHV	CPR (Spacing methods)	18	20	
	Number of FCHVs	48172	8818	
MALARIA AND KALA-AZAR	% of mothers' group meeting held	98	95	
	Annual blood slide examination rate (ABER) per 100	1.3	0.56	
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.01	
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	20.8	
TUBERCULOSIS	Incidence of kala-azar per 10,000 population at risk	0.11	0.11	
	Case notification rate (all forms of TB)/100,000 pop.	109	92	
LEPROSY	Treatment success rate	87	85	
	New case detection rate (NCDR) per 100,000 population	11	8	
HIV/AIDS and STI	Prevalence rate (PR) per 10,000	0.9	0.7	
	Number of new positive cases	2013	142	
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	78	
	Average length of stay at hospital	4	3	
Availability of basic client service	% of health facilities offering child curative care	99.4	98.1	NHFS 2015
	% of health facilities offering growth monitoring services	92.7	92.3	
	% of health facilities offering child vaccination	86.8	89.5	
	% of health facility offering any modern methods of family planning	97.7	96.2	
	% of health facility offering antenatal care service	97.8	97.9	
	% of health facility offering services for STIs	73.5	71.5	
Diagnostic Capacity	% of health facility offering all basic clients services	62	63.2	
	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	3.4	
Tracer Medicines	Percentage of health posts having their own laboratory services	13.4	12.3	
	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	0.6	
HR	Percentage of all government facilities filled sanctioned MOH posts	71.3	69.8	
Logistics Management	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	68.3	
Quality of Care	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	39	
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	32.6	
	Prevalence of wasting among children under 5 years of age	9.7	11.8	
	Prevalence of overweight among children under 5 years of age	1.2	0.7	
Good health and well-being	Proportion of births attended by skilled health personnel	58	63.1	
	Under-five mortality rate	39	36	
	Neonatal mortality rate	21	22	
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	50.1	
	Total fertility rate	2.3	2.3	
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	26.9	
	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	79.4	
Gender equality	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	9.9	

Key Health Indicators: Province 2

Number of health facilities	Items	N	P 2	Health facilities reporting status (%)	Items	N	P 2
	Public hospitals	125	13		Public facilities	95	95
PHCCs	198	32	Public hospitals	96	95		
HPs	3808	745	PHCCs	98	92		
Non-public facilities	1822	169	HPs	98	96		
			Non-public facilities	49	26		

N=National, P=province

Theme	Indicators	National	Province 2	Source	
Immunization status (%)	BCG coverage	92	104	HMIS 2017/18	
	DPT-HepB-Hib3 coverage	82	87		
	MR2 coverage (12-23 months)	66	58		
	Fully Immunized children*	70	66		
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	14		
	Pregnant women who received TD2 and TD2+	73	88		
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	74		
	Underweight children among new GM visits (0-11m)	3.6	6.4		
	Children aged 12-23 months registered for growth monitoring	56	57		
	Underweight children among new GM visits (12-23m)	5.7	9.2		
	Pregnant women who received 180 tablets of Iron	45	46		
	Postpartum mothers who received vitamin A supplements	66	83		
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	41		
	% of children U5 years with Pneumonia treated with antibiotics	165	231		
	% of children U5 years with Pneumonia treated with antibiotics	102	127		
	Incidence of diarrhea per 1,000 under five years children	385	337		
	% of children under 5 with diarrhea treated with ORS and zinc	95	97		
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	94		
	Pregnant women who attended four ANC visits as per protocol*	50	34		
	Institutional deliveries *	54	34		
	Deliveries conducted by skilled birth attendant*	52	35		
FAMILY PLANNING	Mothers who had three PNC check-ups as per protocol*	16	14		
	CPR-unadjusted*	40.6	47.9		
FCHV	CPR (Spacing methods)	18	9		
	Number of FCHVs	48172	6208		
MALARIA AND KALA-AZAR	% of mothers' group meeting held	98	98		
	Annual blood slide examination rate (ABER) per 100	1.3	0.5		
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.02		
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	6.1		
TUBERCULOSIS	Incidence of kala-azar per 10,000 population at risk	0.11	0.08		
	Case notification rate (all forms of TB)/100,000 pop.	109	88		
LEPROSY	Treatment success rate	87	85		
	New case detection rate (NCDR) per 100,000 population	11	21		
HIV/AIDS and STI	Prevalence rate (PR) per 10,000	0.9	1.1		
	Number of new positive cases	2013	133		
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	47		
	Average length of stay at hospital	4	4		
Availability of basic client service	% of health facilities offering child curative care	99.4	100		NHFS 2015
	% of health facilities offering growth monitoring services	92.7	85.3		
	% of health facilities offering child vaccination	86.8	83.6		
	% of health facility offering any modern methods of family planning	97.7	98.1		
	% of health facility offering antenatal care service	97.8	94.3		
	% of health facility offering services for STIs	73.5	67.1		
Diagnostic Capacity	% of health facility offering all basic clients services	62	53.8		
	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	22.2		
Tracer Medicines	Percentage of health posts having their own laboratory services	13.4	19		
	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	0.1		
HR	Percentage of all government facilities filled sanctioned MOH posts	71.3	73.6		
Logistics Management	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	55.2		
Quality of Care	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	14		
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	37.1		
	Prevalence of wasting among children under 5 years of age	9.7	14.4		
	Prevalence of overweight among children under 5 years of age	1.2	0		
Good health and well-being	Proportion of births attended by skilled health personnel	58	48.6		
	Under-five mortality rate	39	52		
	Neonatal mortality rate	21	30		
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	61.8		
	Total fertility rate	2.3	3		
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	21.8		
	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	65.2		
Gender equality	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	17.4		

Key Health Indicators: Province 3

Number of health facilities	Items	N	P 3	Health facilities reporting status (%)	Items	N	P 3
	Public hospitals	125	33		Public facilities	95	95
PHCCs	198	43	Public hospitals	96	90		
HPs	3808	640	PHCCs	98	100		
Non-public facilities	1822	1163	HPs	98	99		
N=National, P=province				Non-public facilities	49	60	

Theme	Indicators	National	Province 3	Source
Immunization status (%)	BCG coverage	92	84	HMIS 2017/18
	DPT-HepB-Hib3 coverage	82	73	
	MR2 coverage (12-23 months)	66	57	
	Fully Immunized children*	70	57	
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	5	
	Pregnant women who received TD2 and TD2+	73	55	
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	67	
	Underweight children among new GM visits (0-11m)	3.6	2.3	
	Children aged 12-23 months registered for growth monitoring	56	42	
	Underweight children among new GM visits (12-23m)	5.7	2.4	
	Pregnant women who received 180 tablets of Iron	45	28	
	Postpartum mothers who received vitamin A supplements	66	45	
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	40	
	% of children U5 years with Pneumonia treated with antibiotics	165	129	
	% of children U5 years with Pneumonia treated with antibiotics (Amoxicillin)	102	99	
	Incidence of diarrhea per 1,000 under five years children	385	262	
	% of children under 5 with diarrhea treated with ORS and zinc	95	94	
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	110	
	Pregnant women who attended four ANC visits as per protocol*	50	49	
	Institutional deliveries *	54	49	
	Deliveries conducted by skilled birth attendant*	52	49	
FAMILY PLANNING	Mothers who had three PNC check-ups as per protocol*	16	10	
	CPR-unadjusted*	40.6	36.7	
FCHV	CPR (Spacing methods)	18	20	
	Number of FCHVs	48172	9012	
MALARIA AND KALA-AZAR	% of mothers' group meeting held	98	97	
	Annual blood slide examination rate (ABER) per 100	1.3	0.5	
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.02	
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	40.7	
TUBERCULOSIS	Incidence of kala-azar per 10,000 population at risk	0.11	0.03	
	Case notification rate (all forms of TB)/100,000 pop.	109	121	
LEPROSY	Treatment success rate	87	88	
	New case detection rate (NCDR) per 100,000 population	11	5	
HIV/AIDS and STI	Prevalence rate (PR) per 10,000	0.9	1	
	Number of new positive cases	2013	715	
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	82	
	Average length of stay at hospital	4	4	
Availability of basic client service	% of health facilities offering child curative care	99.4	99.3	NHFS 2015
	% of health facilities offering growth monitoring services	92.7	91.1	
	% of health facilities offering child vaccination	86.8	86	
	% of health facility offering any modern methods of family planning	97.7	95.6	
	% of health facility offering antenatal care service	97.8	98.8	
	% of health facility offering services for STIs	73.5	82.3	
Diagnostic Capacity	% of health facility offering all basic clients services	62	68.9	
	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	12.8	
Tracer Medicines	Percentage of health posts having their own laboratory services	13.4	11.4	
	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	0.7	
HR	Percentage of all government facilities filled sanctioned MOH posts	71.3	65.9	
Logistics Management	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	64.4	
Quality of Care	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	33.9	
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	29.4	
	Prevalence of wasting among children under 5 years of age	9.7	4.2	
	Prevalence of overweight among children under 5 years of age	1.2	1.9	
Good health and well-being	Proportion of births attended by skilled health personnel	58	69.9	
	Under-five mortality rate	39	36	
	Neonatal mortality rate	21	17	
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	61.2	
	Total fertility rate	2.3	1.8	
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	31.5	
Gender equality	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	85.3	
	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	15.1	

Key Health Indicators: Gandaki Province

	Items	N	Gandaki
Number of health facilities	Public hospitals	125	15
	PHCCs	198	24
	HPs	3808	491
	Non-public facilities	1822	100

N=National, P=province

	Items	N	Gandaki
Health facilities reporting status (%)	Public facilities	95	95
	Public hospitals	96	95
	PHCCs	98	96
	HPs	98	97
	Non-public facilities	49	47

Theme	Indicators	National	Gandaki P.	Source	
Immunization status (%)	BCG coverage	92	73	HMIS 2017/18	
	DPT-HepB-Hib3 coverage	82	72		
	MR2 coverage (12-23 months)	66	70		
	Fully Immunized children*	70	66		
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	4		
	Pregnant women who received TD2 and TD2+	73	64		
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	89		
	Underweight children among new GM visits (0-11m)	3.6	0.7		
	Children aged 12-23 months registered for growth monitoring	56	67		
	Underweight children among new GM visits (12-23m)	5.7	1.5		
	Pregnant women who received 180 tablets of Iron	45	58		
	Postpartum mothers who received vitamin A supplements	66	53		
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	41		
	% of children U5 years with Pneumonia treated with antibiotics	165	207		
	% of children U5 years with Pneumonia treated with antibiotics (Amoxicillin)	102	126		
	Incidence of diarrhea per 1,000 under five years children	385	290		
	% of children under 5 with diarrhea treated with ORS and zinc	95	99		
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	94		
	Pregnant women who attended four ANC visits as per protocol*	50	60		
	Institutional deliveries *	54	47		
	Deliveries conducted by skilled birth attendant*	52	47		
	Mothers who had three PNC check-ups as per protocol*	16	13		
FAMILY PLANNING	CPR-unadjusted*	40.6	33.2		
	CPR (Spacing methods)	18	15		
FCHV	Number of FCHVs	48172	5525		
	% of mothers' group meeting held	98	95		
MALARIA AND KALA-AZAR	Annual blood slide examination rate (ABER) per 100	1.3	0.6		
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.03		
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	25		
	Incidence of kala-azar per 10,000 population at risk	0.11	0.08		
TUBERCULOSIS	Case notification rate (all forms of TB)/100,000 pop.	109	96		
	Treatment success rate	87	90		
LEPROSY	New case detection rate (NCDR) per 100,000 population	11	4		
	Prevalence rate (PR) per 10,000	0.9	0.3		
HIV/AIDS and STI	Number of new positive cases	2013	197		
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	96		
	Average length of stay at hospital	4	3		
Availability of basic client service	% of health facilities offering child curative care	99.4	100	NHFS 2015	
	% of health facilities offering growth monitoring services	92.7	99.3		
	% of health facilities offering child vaccination	86.8	91.4		
	% of health facility offering any modern methods of family planning	97.7	100		
	% of health facility offering antenatal care service	97.8	99.1		
	% of health facility offering services for STIs	73.5	74.1		
Diagnostic Capacity	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	8.7		
	Percentage of health posts having their own laboratory services	13.4	2.7		
Tracer Medicines	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	0.5		
HR	Percentage of all government facilities filled sanctioned MOH posts	71.3	78.1		
Logistics Management	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	63.3		
Quality of Care	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	31.4		
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	28.9		NDHS 2016
	Prevalence of wasting among children under 5 years of age	9.7	5.8		
	Prevalence of overweight among children under 5 years of age	1.2	3.7		
Good health and well-being	Proportion of births attended by skilled health personnel	58	69.9		
	Under-five mortality rate	39	27		
	Neonatal mortality rate	21	15		
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	47.5		
	Total fertility rate	2.3	2		
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	24.6		
	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	92.7		
Gender equality	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	7.7		

Key Health Indicators: Province 5

	Items	N	P5		Items	N	P5
Number of health facilities	Public hospitals	125	20	Health facilities reporting status (%)	Public facilities	95	95
	PHCCs	198	30		Public hospitals	96	99
	HPs	3808	570		PHCCs	98	96
	Non-public facilities	1822	168		HPs	98	99
				N=National, P=province			
				Non-public facilities			
				49			
				67			

Theme	Indicators	National	Province 5	Source
Immunization status (%)	BCG coverage	92	98	HMIS 2017/18
	DPT-HepB-Hib3 coverage	82	87	
	MR2 coverage (12-23 months)	66	79	
	Fully Immunized children*	70	74	
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	5	
	Pregnant women who received TD2 and TD2+	73	83	
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	98	
	Underweight children among new GM visits (0-11m)	3.6	3.3	
	Children aged 12-23 months registered for growth monitoring	56	59	
	Underweight children among new GM visits (12-23m)	5.7	5.4	
	Pregnant women who received 180 tablets of Iron	45	57	
	Postpartum mothers who received vitamin A supplements	66	72	
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	50	
	% of children U5 years with Pneumonia treated with antibiotics	165	164	
	% of children U5 years with Pneumonia treated with antibiotics (Amoxicillin)	102	98	
	Incidence of diarrhea per 1,000 under five years children	385	403	
	% of children under 5 with diarrhea treated with ORS and zinc	95	95	
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	108	
	Pregnant women who attended four ANC visits as per protocol*	50	61	
	Institutional deliveries *	54	75	
	Deliveries conducted by skilled birth attendant*	52	70	
	Mothers who had three PNC check-ups as per protocol*	16	22	
FAMILY PLANNING	CPR-unadjusted*	40.6	40.9	
	CPR (Spacing methods)	18	25	
FCHV	Number of FCHVs	48172	8602	
	% of mothers' group meeting held	98	100	
MALARIA AND KALA-AZAR	Annual blood slide examination rate (ABER) per 100	1.3	1.6	
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.07	
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	12.1	
	Incidence of kala-azar per 10,000 population at risk	0.11	0.15	
TUBERCULOSIS	Case notification rate (all forms of TB)/100,000 pop.	109	140	
	Treatment success rate	87	90	
LEPROSY	New case detection rate (NCDR) per 100,000 population	11	16	
	Prevalence rate (PR) per 10,000	0.9	1.36	
HIV/AIDS and STI	Number of new positive cases	2013	526	
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	69	
	Average length of stay at hospital	4	4	
Availability of basic client service	% of health facilities offering child curative care	99.4	99.4	NHFS 2015
	% of health facilities offering growth monitoring services	92.7	95.3	
	% of health facilities offering child vaccination	86.8	88.1	
	% of health facility offering any modern methods of family planning	97.7	97.6	
	% of health facility offering antenatal care service	97.8	97.7	
	% of health facility offering services for STIs	73.5	72.7	
Diagnostic Capacity	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	13.3	
	Percentage of health posts having their own laboratory services	13.4	11.3	
Tracer Medicines	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	1	
HR	Percentage of all government facilities filled sanctioned MOH posts	71.3	73.7	
Logistics Management	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	69	
Quality of Care	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	27	
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	38.5	NDHS 2016
	Prevalence of wasting among children under 5 years of age	9.7	7.6	
	Prevalence of overweight among children under 5 years of age	1.2	1.8	
Good health and well-being	Proportion of births attended by skilled health personnel	58	56.6	
	Under-five mortality rate	39	45	
	Neonatal mortality rate	21	30	
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	51.3	
	Total fertility rate	2.3	2.4	
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	22	
	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	78.3	
Gender equality	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	15.3	

Key Health Indicators: Karnali Province

Number of health facilities	Items	N	Karnali
	Public hospitals	125	12
	PHCCs	198	13
	HPs	3808	336
	Non-public facilities	1822	46

N=National, P=province

Health facilities reporting status (%)	Items	N	Karnali
	Public facilities	95	95
	Public hospitals	96	97
	PHCCs	98	100
	HPs	98	98
	Non-public facilities	49	72

Theme	Indicators	National	Karnali P	Source
Immunization status (%)	BCG coverage	92	106	HMIS 2017/18
	DPT-HepB-Hib3 coverage	82	93	
	MR2 coverage (12-23 months)	66	73	
	Fully Immunized children*	70	88	
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	10.5	
	Pregnant women who received TD2 and TD2+	73	82	
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	126	
	Underweight children among new GM visits (0-11m)	3.6	6.6	
	Children aged 12-23 months registered for growth monitoring	56	86	
	Underweight children among new GM visits (12-23m)	5.7	10.3	
	Pregnant women who received 180 tablets of Iron	45	59	
	Postpartum mothers who received vitamin A supplements	66	87	
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	106	
	% of children U5 years with Pneumonia treated with antibiotics	165	159	
	% of children U5 years with Pneumonia treated with antibiotics (Amoxicillin)	102	85	
	Incidence of diarrhea per 1,000 under five years children	385	709	
	% of children under 5 with diarrhea treated with ORS and zinc	95	96	
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	117	
	Pregnant women who attended four ANC visits as per protocol*	50	55	
	Institutional deliveries *	54	67	
	Deliveries conducted by skilled birth attendant*	52	56	
FAMILY PLANNING	Mothers who had three PNC check-ups as per protocol*	16	19	
	CPR-unadjusted*	40.6	35.5	
FCHV	CPR (Spacing methods)	18	20	
	Number of FCHVs	48172	4097	
MALARIA AND KALA-AZAR	% of mothers' group meeting held	98	100	
	Annual blood slide examination rate (ABER) per 100	1.3	1.2	
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.3	
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	0.5	
TUBERCULOSIS	Incidence of kala-azar per 10,000 population at risk	0.11	0.23	
	Case notification rate (all forms of TB)/100,000 pop.	109	101	
LEPROSY	Treatment success rate	87	93	
	New case detection rate (NCDR) per 100,000 population	11	5	
HIV/AIDS and STI	Prevalence rate (PR) per 10,000	0.9	0.45	
	Number of new positive cases	2013	57	
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	78	
	Average length of stay at hospital	4	3	
Availability of basic client service	% of health facilities offering child curative care	99.4	99.7	NHFS 2015
	% of health facilities offering growth monitoring services	92.7	98.1	
	% of health facilities offering child vaccination	86.8	86.7	
	% of health facility offering any modern methods of family planning	97.7	100	
	% of health facility offering antenatal care service	97.8	99.4	
	% of health facility offering services for STIs	73.5	63.2	
Diagnostic Capacity	% of health facility offering all basic clients services	62	52.3	
	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	18.2	
Tracer Medicines	Percentage of health posts having their own laboratory services	13.4	5.4	
	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	0.6	
HR	Percentage of all government facilities filled sanctioned MOH posts	71.3	68.1	
Logistics Management	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	57.9	
Quality of Care	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	28.1	
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	54.5	
	Prevalence of wasting among children under 5 years of age	9.7	7.5	
	Prevalence of overweight among children under 5 years of age	1.2	1.5	
Good health and well-being	Proportion of births attended by skilled health personnel	58	35.3	
	Under-five mortality rate	39	58	
	Neonatal mortality rate	21	29	
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	57.9	
	Total fertility rate	2.3	2.8	
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	29	
	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	74.9	
Gender equality	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	11.8	

Key Health Indicators: Sudur-Paschim Province

Number of health facilities	Items	N	SP
	Public hospitals	125	14
	PHCCs	198	16
	HPs	3808	378
	Non-public facilities	1822	43

N=National, SP= Superpaschim province

Health facilities reporting status (%)	Items	N	SP
	Public facilities	95	95
	Public hospitals	96	99
	PHCCs	98	98
	HPs	98	98
	Non-public facilities	49	100

Theme	Indicators	National	SP	Source
Immunization status (%)	BCG coverage	92	87	HMIS 2017/18
	DPT-HepB-Hib3 coverage	82	83	
	MR2 coverage (12-23 months)	66	70	
	Fully Immunized children*	70	76	
	Dropout rate DPT-Hep B-Hib 1 vs 3 coverage	7.4	5	
	Pregnant women who received TD2 and TD2+	73	76	
Nutrition status (%)	Children aged 0-11 months registered for growth monitoring	84	89	
	Underweight children among new GM visits (0-11m)	3.6	4.3	
	Children aged 12-23 months registered for growth monitoring	56	57	
	Underweight children among new GM visits (12-23m)	5.7	7.6	
	Pregnant women who received 180 tablets of Iron	45	51	
	Postpartum mothers who received vitamin A supplements	66	72	
CB-IMNCI STATUS	Incidence of pneumonia among children U5 years (per 1000)	54	71	
	% of children U5 years with Pneumonia treated with antibiotics	165	139	
	% of children U5 years with Pneumonia treated with antibiotics (Amoxicillin)	102	100	
	Incidence of diarrhea per 1,000 under five years children	385	648	
	% of children under 5 with diarrhea treated with ORS and zinc	95	98	
SAFE MOTHERHOOD (%)	Pregnant women who attended first ANC visit (any time)	103	93	
	Pregnant women who attended four ANC visits as per protocol*	50	55	
	Institutional deliveries *	54	69	
	Deliveries conducted by skilled birth attendant*	52	60	
FAMILY PLANNING	Mothers who had three PNC check-ups as per protocol*	16	26	
	CPR-unadjusted*	40.6	39.5	
FCHV	CPR (Spacing methods)	18	23	
	Number of FCHVs	48172	5910	
MALARIA AND KALA-AZAR	% of mothers' group meeting held	98	98	
	Annual blood slide examination rate (ABER) per 100	1.3	4.6	
	Annual parasite incidence (API) per 1,000 population at risk	0.08	0.3	
	% of plasmodia falciparum (PF) among Malaria Positive case	7.1	4.1	
TUBERCULOSIS	Incidence of kala-azar per 10,000 population at risk	0.11	0.02	
	Case notification rate (all forms of TB)/100,000 pop.	109	120	
LEPROSY	Treatment success rate	87	85	
	New case detection rate (NCDR) per 100,000 population	11	9	
HIV/AIDS and STI	Prevalence rate (PR) per 10,000	0.9	0.8	
	Number of new positive cases	2013	243	
CURATIVE SERVICES	% of population utilizing outpatient (OPD) services	72	71	
	Average length of stay at hospital	4	2	
Availability of basic client service	% of health facilities offering child curative care	99.4	99.5	NHFS 2015
	% of health facilities offering growth monitoring services	92.7	94.1	
	% of health facilities offering child vaccination	86.8	81.5	
	% of health facility offering any modern methods of family planning	97.7	99.3	
	% of health facility offering antenatal care service	97.8	99.5	
	% of health facility offering services for STIs	73.5	80.6	
Diagnostic Capacity	% of health facility offering all basic clients services	62	62.9	
	Percentage of facilities with capacity(All items) to conduct basic laboratory diagnostic tests in the facility	12.6	16.3	
Tracer Medicines	Percentage of health posts having their own laboratory services	13.4	31.9	
HR	percentages of facility with indicated tracer medicines (all 18 tracer items) available in the facility on the day of the survey	0.8	2.5	
Logistics Management	Percentage of all government facilities filled sanctioned MOH posts	71.3	74.4	
Quality of Care	Percentages of facility demonstrating good storage practices (All storage criteria met) for stored medicines	64.1	71.6	
	Percentage of facilities meeting minimum standard of quality of care (Availability of all four tracer amenities) at point of service delivery	29.8	38.4	
Zero Hunger	Prevalence of stunting among children under 5 years of age	35.8	35.9	NDHS 2016
	Prevalence of wasting among children under 5 years of age	9.7	9.3	
	Prevalence of overweight among children under 5 years of age	1.2	1.1	
Good health and well-being	Proportion of births attended by skilled health personnel	58	66	
	Under-five mortality rate	39	69	
	Neonatal mortality rate	21	41	
	Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods	56	61.1	
	Total fertility rate	2.3	2.2	
	Age-standardized prevalence of current tobacco use among persons aged 15 years and older (men)	27.2	40.2	
	Proportion of the target population covered by all vaccines included in their national programme (all basic vaccinations)	77.8	83.4	
Gender equality	Proportion of ever-partnered women and girls aged 15 years and older subjected to physical, sexual or psychological violence by a current or former intimate partner in the previous 12 months	13.5	11.3	